EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	160	(pull adj switch) same (automobile automotive vehicle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:03
L2	2	200/179.ccls. and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:11
L3	0	200/519.ccls. and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:11
L4	5	200/523.ccls. and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:20
L5	5	200/524.ccls. and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:20
L6	1	200/525.ccls. and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:21
L7	1	200/526.ccls. and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:21

L8	0	200/527.ccls. and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:21
L9	0	200/528.ccls. and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:21
L10	0	(switch same high$beam same low$beam same (headlight head$light) same spring) and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:22
L11	0	(switch with high with low) same (headlight head$light) same spring and @pd>="20060306"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:22
L12	10	(head$light head$lamp) same auxiliary same switch same vehicle and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:23
L13	0	(head$light head$lamp) same auxiliary same switch same vehicle same spring and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:24
L14	6	(head$light head$lamp) same (control control$4) same vehicle same spring and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:35

EAST Search History

L15	55	(head$light head$lamp) same (control control$4) same vehicle same (brightness or (low$beam and high$beam)) and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:38
L16	9	(head$light head$lamp) same (control control$4) same vehicle same (brightness or (low$beam and high$beam)) and spring and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:39
L17	0	(push pull push$pull) adj headlight adj (control switch) and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:43
L18	2	rotary with headlight with control and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:43
L19	8	(rotary adj light adj switch) and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:47
L20	0	(switch control) same (headlamp adj interrupt) same (marker adj interrupt) and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:47
L21	0	(headlamp adj interrupt) and (marker adj interrupt) and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:48

L22	2	(headlight head$light headlamp head$lamp) same (auxiliary adj beam) and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:48
L23	0	(headlight head$light headlamp head$lamp) same (focus adj beam) and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:49
L24	45	315/82.ccls. and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:50
L25	5	315/83.ccls. and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:51
L26	2	200/179.ccls. and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:51
L27	23	200/11R.ccls. and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:53
L28	3	200/11R.ccls. and vehicle and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:53

L29	0	200/8R.ccls. and vehicle and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:53
L30	0	200/8R.ccls. and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:53
L31	0	200/9.ccls. and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:54
L32	0	200/9.ccls. and vehicle and @pd>="20060301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 11:54
L33	6	200/4.ccls. and vehicle and @pd>="20060228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 12:55
L34	24	200/4.ccls. and @pd>="20060228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 12:56
L35	10	200/61.27.ccls. and @pd>="20060228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 12:59

L36	104	307/9.1.ccls. and @pd>="20060228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:00
L37	22	315/82.ccls. and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:02
L38	2	315/83.ccls. and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:02
L39	14	315/77.ccls. and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:03
L40	4	(rotary adj switch) same headlight and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:04
L41	13	rotary same headlight and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:04
L42	1	rotary same headlight same axial and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:05

L43	0	rotary same headlight same high$beam same low$beam and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:05
L44	0	switch same rotary same axial same ((headlamp headlight) adj interrupt) same (marker adj interrupt) and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:06
L45	0	switch same rotary same axial and ((headlamp headlight) adj interrupt) same (marker adj interrupt) and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:07
L46	0	switch same rotary same high$beam same low$beam same headlight and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:07
L47	0	switch same rotary same (bright bright$5) same headlight and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:08
L48	2	switch same high$beam same low$beam same (headlight head$light) and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:09
L49	0	(low$level adj switch) same headlight and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:09

L50	9	(low$level adj switch) and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:09
L51	0	(low$level adj switch) same vehicle and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:10
L52	0	(low$level adj switch) same automobile and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:10
L53	397	push with pull with (button switch) and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:12
L54	0	push with pull with (button switch) with headlight and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:13
L55	21	push with pull with (button switch) with spring and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:13
L56	0	(push-pull adj switch) same ((neutral normal) adj position) and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:13

EAST Search History

L57	0	(push-pull adj switch) same ((neutral normal) adj position) and rotary and @pd>="20061130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:13
S1	10	("4164633" "4225758" "4518832" "4885434" "5281779" "5491311" "5546067" "5736696" "5773935" "6034337").pn.	US-PGPUB; USPAT	OR	ON	2007/07/27 09:53
S13 8	368	vehicle same switch same (parking adj light) same (headlight headlamp (head adj light) (head adj lamp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 15:36
S13 9	16	S138 same (auxiliary adj (light lamp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 15:49
S14 0	0	vehicle same (light adj switch) same ((illuminated adj symbol) or (symbol near2 illuminated))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 15:49
S14 1	36	vehicle same (switch button) same ((illuminated adj symbol) or (symbol near2 illuminated))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:09
S14 2	0	("3500120".pn. and (fog adj lamp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:11

S14 3	153	vehicle same (fog adj light) same switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:12
S14 4	14	vehicle same (fog adj light) same (rotary near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:18
S14 5	1	vehicle same switch same ((headlamp headlight (head adj lamp) (head adj light)) adj interrupt) same (marker adj interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:34
S14 6	1	vehicle and switch and ((headlamp headlight (head adj lamp) (head adj light)) adj interrupt) same (marker adj interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:22
S14 7	1	vehicle and switch and (((headlamp headlight (head adj lamp) (head adj light)) adj interrupt) same (marker adj interrupt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:23
S14 8	2	vehicle and switch and (((headlamp headlight (head adj lamp) (head adj light)) adj interrupt) and (marker adj interrupt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:23
S14 9	2	"4845465".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:23

EAST Search History

S15 0	2	vehicle and ((headlamp headlight (head adj lamp) (head adj light)) adj interrupt) and (marker adj interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:36
S15 1	4	vehicle and ((headlamp headlight (head adj lamp) (head adj light))) and (marker adj interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:42
S15 2	3	headlamp adj interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:48
S15 3	14	(rotary adj switch) same axial same push same pull	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:48
S15 4	633	(push-pull adj switch) or (push-pull adj rotary adj switch) or (push adj pull adj switch) or (push adj pull adj rotary adj switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 11:33
S15 5	107	S154 and (automobile automotive vehicle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 11:33
S15 6	0	S155 and ((first adj pull) and (second adj pull) and (first adj push) and (second adj push))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 11:34